

| | L # | Search Text | DBs | Time Stamp | Hits |
|---|-----|---------------------------------|--|---------------------|-------|
| 1 | L1 | hewlett-packard.asn. | US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B | 2006/10/18 17:31 | 40531 |
| 2 | L2 | sahlbach.in. and andreas.in. | US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B | 2006/10/18 17:31 | 1 |
| 3 | L3 | L1 and L2 | US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B | 2006/10/18 17:31 | 0 |

| | L # | Search Text | DBs | Time Stamp | Hits |
|---|-----|---------------|--|---------------------|------|
| 4 | L4 | 380/257.ccls. | US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B | 2006/10/18 17:31 | 112 |
| 5 | L5 | 713/155.ccls. | US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B | 2006/10/18 17:31 | 721 |
| 6 | L6 | 713/156.ccls. | US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B | 2006/10/18 17:31 | 742 |

| | L # | Search Text | DBs | Time Stamp | Hits |
|---|-----|---------------|--|---------------------|------|
| 7 | L7 | 713/182.ccls. | US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B | 2006/10/18 17:32 | 1063 |
| 8 | L8 | 709/223.ccls. | US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B | 2006/10/18 17:32 | 5177 |
| 9 | L9 | 709/224.ccls. | US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B | 2006/10/18 17:32 | 5427 |

| | L # | Search Text | DBs | Time Stamp | Hits |
|----|-----|---|--|---------------------|------|
| 10 | L10 | 709/225.ccls. | US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B | 2006/10/18 17:32 | 2505 |
| 11 | L11 | "switch identity" adj "certificate" near "user account" | US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B | 2006/10/18 17:34 | 0 |
| 12 | L12 | "switch identity" adj "certificate" near "signature" | US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B | 2006/10/18 17:34 | 0 |

| | L # | Search Text | DBs | Time Stamp | Hits |
|----|-----|---|--|---------------------|------|
| 13 | L13 | "switch identity" same "certificate" near "signature" | US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B | 2006/10/18 17:34 | 0 |
| 14 | L14 | "switch identity" same "certificate" | US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B | 2006/10/18 17:34 | 0 |
| 15 | L15 | "switch identity" same "account" | US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B | 2006/10/18 17:34 | 4 |

| | L # | Search Text | DBs | Time Stamp | Hits |
|----|-----|--|--|---------------------|------|
| 16 | L16 | "switch identity" same "digital signature" | US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B | 2006/10/18 17:35 | 0 |
| 17 | L17 | L15 and L9 | US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B | 2006/10/18 17:35 | 0 |
| 18 | L18 | "switch user" adj "certificate" near "digital signature" | US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B | 2006/10/18 17:35 | 0 |

| | L # | Search Text | DBs | Time Stamp | Hits |
|----|-----|---|--|---------------------|------|
| 19 | L19 | "switch user" near "certificate" near "digital signature" | US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B | 2006/10/18 17:35 | 0 |
| 20 | L20 | "user identity" adj "switch" near "certificate" | US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B | 2006/10/18 17:36 | 0 |
| 21 | L21 | "user identity" adj "switch" near "digital signature" | US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B | 2006/10/18 17:36 | 0 |

| | L # | Search Text | DBs | Time Stamp | Hits |
|----|-----|---|--|---------------------|------|
| 22 | L22 | "user identity" adj "switch" | US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B | 2006/10/18 17:36 | 2 |
| 23 | L23 | "user identity" same "switch" | US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B | 2006/10/18 17:36 | 174 |
| 24 | L24 | "user identity" same "switch" same "certificate" | US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B | 2006/10/18 17:37 | 5 |

| | L # | Search Text | DBs | Time Stamp | Hits |
|----|-----|--|--|---------------------|------|
| 25 | L25 | L23 and L10 | US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B | 2006/10/18 17:37 | 4 |
| 26 | L26 | L23 and L8 | US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B | 2006/10/18 17:37 | 0 |
| 27 | L27 | "user account" same "private key" same "switch" | US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B | 2006/10/18 17:37 | 1 |

| | L # | Search Text | DBs | Time Stamp | Hits |
|----|-----|---|--|---------------------|------|
| 28 | L28 | L23 and L27 | US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B | 2006/10/18 17:38 | 0 |
| 29 | L29 | (certificate or hash or message digest) adj (switch) adj (user or account) | US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B | 2006/10/18 17:39 | 7 |
| 30 | L30 | (digital signature) adj (private or secret) near (key) adj (user account) | US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B | 2006/10/18 17:40 | 10 |

| | L # | Search Text | DBs | Time Stamp | Hits |
|----|-----|-------------|--|---------------------|------|
| 31 | L31 | L29 and L30 | US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B | 2006/10/18 17:40 | 0 |

[Sign in](#)[Go to Google Home](#)[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

switch identity, digital signature, user account,

[Advanced Search](#)
[Preferences](#)**Web Results 1 - 10 of about 291 for switch identity, digital signature, user account, certificate, private key****The problem of identity**

/bin/su : **switch-user** command. /bin/login : login program type Username and ... Signing a **certificate** C : compute $\text{Sig} = E(M(C), Q)$ for some **private key** Q ...
www.cs.tufts.edu/comp/150NET/notes/identity.php - 38k - [Cached](#) - [Similar pages](#)

Special Edition, Using Perl for Web Programming, Ch. 8

Basic **user authentication** - The Web server runs CGI programs on behalf of remote ... it in your e-mail **signature**, but you keep your **private key** to yourself. ...
kac.duf.hu/~mystro/info/perlweb/ch08.htm - 91k - [Cached](#) - [Similar pages](#)

[PDF] 0500035_AirOS_FIPS_RS.bookFile Format: PDF/Adobe Acrobat - [View as HTML](#)

IKE **User RSA**. The IKE **User RSA** public **key** is used for **User authentication**. During IKE the **User**. sends the **switch** its **digital certificate**, which is verified ...
csrc.nist.gov/cryptval/140-1/140sp/140sp491.pdf - [Similar pages](#)

[PDF] SANbox2-64 Switch Management User's Guide

File Format: PDF/Adobe Acrobat

Switch>User Accounts. Alt+W, C. Wizards> Configuration Wizard. Alt+S, D ... validate the **identity** of the connecting **switch**, device, or host. **Authentication** ...
download.qlogic.com/manual/27141/59048-07_A.pdf - [Similar pages](#)

[doc] IntroductionFile Format: Microsoft Word - [View as HTML](#)

Digital certificate. Document that gives the public **key** of the true party and ... For RSA, a strong **key** is more than about 1000 bits. Su (**switch user**). ...
pankosecurity.com/Glossary.doc - [Similar pages](#)

[PDF] IBM<sup><reset><reset> Client Security Solutions: Client ...File Format: PDF/Adobe Acrobat - [View as HTML](#)

ensures that the **private key** of the **digital certificate** is stored on the IBM ... UVM protection does not operate if you **switch User** IDs within a Notes ...
www.smartaxis.gr/IBM%20usr52mst.pdf - [Similar pages](#)

[PDF] Automatic Transfer Switch Users GuideFile Format: PDF/Adobe Acrobat - [View as HTML](#)

Authentication verifies the **identity** of a **user** or a network device (such as an ... Automatic Transfer **Switch private key** and public root **certificate**. ...
[sturgeon.apcc.com/techref.nsf/partnum/990-1240B/\\$FILE/990-1240B-EN.pdf](http://sturgeon.apcc.com/techref.nsf/partnum/990-1240B/$FILE/990-1240B-EN.pdf) - [Similar pages](#)

Release Notes for Cisco VPN Client for Windows, Release 3.5.1

To connect using a **digital certificate** for **authentication** you need a **digital** ... Microsoft has indicated that the "Welcome" screen and the "**switch user**" UI ...
www.cisco.com/univercd/cc/td/doc/product/vpn/client/rel3_5_1/351_3kcl.htm - 113k - [Cached](#) - [Similar pages](#)

Release Notes for VPN Client, Release 4.6.00 through 4.6.04

Start Before Logon and Microsoft **Certificate** with **Private Key** Protect Fails ... When there are multiple users are logged in using the FAST **SWITCH USER** ...

www.cisco.com/univercd/cc/td/doc/product/vpn/client/4_6/reInt/4604cln.htm - 276k -
[Cached](#) - [Similar pages](#)

[doc] [Downloadable White Paper](#)

File Format: Microsoft Word - [View as HTML](#)

For example, each **switch user** database in a SAN fabric must be managed locally ... the server proves its **identity** by using its **private key** to successfully ...
[download.microsoft.com/download/a/0/d/a0d9e2ee-1994-47c7-b25b-2bd934ff8940/MS_IAS_SAN_Security.doc](#) - [Similar pages](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

Free! Speed up the web. [Download the Google Web Accelerator.](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google



[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

+switch +user, +certificate, +digital +signature, +authentication

SEARCH

THE ACM DIGITAL LIBRARY



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used

[switch](#) [user](#) [certificate](#) [digital](#) [signature](#) [authentication](#) [user](#) [account](#)

Found 149 of 186,958

Sort results by

relevance

☒ Save results to a Binder

[Try an Advanced Search](#)

Display results

expanded form

☐ Search Tips

Try this search in [The ACM Guide](#)

☐ Open results in a new window

Results 1 - 20 of 149

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [next](#)

Relevance scale ☐ ☐ ☐ ☐ ☐

1 [File and storage systems: Decentralized user authentication in a global file system](#)



Michael Kaminsky, George Savvides, David Mazieres, M. Frans Kaashoek

October 2003 **Proceedings of the nineteenth ACM symposium on Operating systems principles**

Publisher: ACM Press

Full text available: pdf(144.43 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

The challenge for user authentication in a global file system is allowing people to grant access to specific users and groups in remote administrative domains, without assuming any kind of pre-existing administrative relationship. The traditional approach to user authentication across administrative domains is for users to prove their identities through a chain of certificates. Certificates allow for general forms of delegation, but they often require more infrastructure than is necessary to sup ...

Keywords: ACL, SFS, authentication, authorization, credentials, file system, groups, users

2 [Johnny 2: a user test of key continuity management with S/MIME and Outlook](#)



Express

Simson L. Garfinkel, Robert C. Miller

July 2005 **Proceedings of the 2005 symposium on Usable privacy and security SOUPS '05**

Publisher: ACM Press

Full text available: pdf(665.63 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Secure email has struggled with significant obstacles to adoption, among them the low usability of encryption software and the cost and overhead of obtaining public key certificates. Key continuity management (KCM) has been proposed as a way to lower these barriers to adoption, by making key generation, key management, and message signing essentially automatic. We present the first user study of KCM-secured email, conducted on naïve users who had no previous experience with secure email. Our ...

Keywords: Usability, e-commerce, user interaction design, user studies

3

[Authentication in distributed systems: theory and practice](#)



Butler Lampson, Martín Abadi, Michael Burrows, Edward Wobber

November 1992 **ACM Transactions on Computer Systems (TOCS)**, Volume 10 Issue 4

Publisher: ACM Press

Full text available: [pdf\(3.37 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

We describe a theory of authentication and a system that implements it. Our theory is based on the notion of principal and a "speaks for" relation between principals. A simple principal either has a name or is a communication channel; a compound principal can express an adopted role or delegated authority. The theory shows how to reason about a principal's authority by deducing the other principals that it can speak for; authenticating a channel is one important application. We ...

Keywords: certification authority, delegation, group, interprocess communication, key distribution, loading programs, path name, principal, role, secure channel, speaks for, trusted computing base

4 [Securing the global, remote, mobile user](#)

Walt Curtis, Lori Sinton

March 1999 **International Journal of Network Management**, Volume 9 Issue 1

Publisher: John Wiley & Sons, Inc.

Full text available: [pdf\(982.14 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [index terms](#)

Electronic commerce is inevitable and will reshape our lives, but before true electronic commerce environments can be realized, it will be necessary to secure your enterprise against outside attacks on its electronic information and provide controls for authorized access to that information. Copyright © 1999 John Wiley & Sons, Ltd.

5 [Encryption and Secure Computer Networks](#)



Gerald J. Popek, Charles S. Kline

December 1979 **ACM Computing Surveys (CSUR)**, Volume 11 Issue 4

Publisher: ACM Press

Full text available: [pdf\(2.50 MB\)](#)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

6 [A methodology for analyzing the performance of authentication protocols](#)



Alan Harbitter, Daniel A. Menascé

November 2002 **ACM Transactions on Information and System Security (TISSEC)**, Volume 5 Issue 4

Publisher: ACM Press

Full text available: [pdf\(1.25 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Performance, in terms of user response time and the consumption of processing and communications resources, is an important factor to be considered when designing authentication protocols. The mix of public key and secret key encryption algorithms typically included in these protocols makes it difficult to model performance using conventional analytical methods. In this article, we develop a validated modeling methodology to be used for analyzing authentication protocol features, and we use two ...

Keywords: Authentication, Kerberos, mobile computing, performance modeling, proxy servers, public key cryptography

7 [Security through the eyes of users: Hardening Web browsers against man-in-the-](#)

 middle and eavesdropping attacks

Haidong Xia, José Carlos Brustoloni

May 2005 **Proceedings of the 14th international conference on World Wide Web WWW '05**

Publisher: ACM Press

Full text available:  pdf(770.11 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Existing Web browsers handle security errors in a manner that often confuses users. In particular, when a user visits a secure site whose certificate the browser cannot verify, the browser typically allows the user to view and install the certificate and connect to the site despite the verification failure. However, few users understand the risk of man-in-the-middle attacks and the principles behind certificate-based authentication. We propose context-sensitive certificate verification (CSCV), w ...

Keywords: HTTPS, SSL, Web browser, certificate, eavesdropping attack, just-in-time instruction, man-in-the-middle attack, password, safe staging, well-in-advance instruction

8 Certificate-based authorization policy in a PKI environment

 Mary R. Thompson, Abdelilah Essiari, Srilekha Mudumbai

November 2003 **ACM Transactions on Information and System Security (TISSEC)**, Volume 6 Issue 4

Publisher: ACM Press

Full text available:  pdf(233.63 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The major emphasis of public key infrastructure has been to provide a cryptographically secure means of authenticating identities. However, procedures for authorizing the holders of these identities to perform specific actions still need additional research and development. While there are a number of proposed standards for authorization structures and protocols such as KeyNote, SPKI, and SAML based on X.509 or other key-based identities, none have been widely adopted. As part of an effort to us ...

Keywords: Public key infrastructure, XML, digital certificates

9 Mobile services and technology track: A conceptual approach to information security in financial account aggregation

 Manish Agrawal, Hemant Padmanabhan, Lokesh Pandey, H. R. Rao, Shambhu Upadhyaya

March 2004 **Proceedings of the 6th international conference on Electronic commerce ICEC '04**

Publisher: ACM Press

Full text available:  pdf(173.70 KB) Additional Information: [full citation](#), [abstract](#), [references](#)

An important dimension of mobile computing is the ubiquitous and location-independent availability of data. Aggregation is the ability to electronically access and display personal account information from disparate sources through a single identity. The client financial data is assembled in an organized format providing meaningful summarization and analysis. The prevalent methods of aggregation pose issues in information security and assurance. Utilizing advances in Internet technology such as ...

Keywords: account service providers, aggregation, identity service providers, scraping

10 Ticket based service access for the mobile user


Bhram Patel, Jon Crowcroft

 September 1997 **Proceedings of the 3rd annual ACM/IEEE international conference on Mobile computing and networking**

Publisher: ACM Press


Full text available:  [pdf\(1.52 MB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

11 Authentication in distributed systems: theory and practice

 Butler Lampson, Martín Abadi, Michael Burrows, Edward Wobber


September 1991 **ACM SIGOPS Operating Systems Review , Proceedings of the thirteenth ACM symposium on Operating systems principles SOSP '91**, Volume 25 Issue 5

Publisher: ACM Press

Full text available:  [pdf\(2.33 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

We describe a theory of authentication and a system that implements it. Our theory is based on the notion of principal and a "speaks for" relation between principals. A simple principal either has a name or is a communication channel; a compound principal can express an adopted role or delegation of authority. The theory explains how to reason about a principal's authority by deducing the other principals that it can speak for; authenticating a channel is one important application. We use the th ...

12 Revokable and versatile electronic money (extended abstract)

 Markus Jakobsson, Moti Yung

January 1996 **Proceedings of the 3rd ACM conference on Computer and communications security**

Publisher: ACM Press

Full text available:  [pdf\(1.53 MB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

13 On-line e-wallet system with decentralized credential keepers

Stig Frode Mjølsnes, Chunming Rong

February 2003 **Mobile Networks and Applications**, Volume 8 Issue 1


Publisher: Kluwer Academic Publishers

Full text available:  [pdf\(240.23 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

We propose a generalization of the architecture of an electronic wallet, as first developed in the seminal European research project CAFE. With this model you can leave most of the content of your electronic wallet at the security of your residential electronic keeper, while roaming with your favorite mobile terminals. Emerging mobile handsets with both short range Bluetooth and cellular GPRS communications provide a sufficient communication platform for this electronic wallet architecture. Howe ...


Keywords: digital credentials, e-wallet architecture, mobile commerce, payment protocols, privacy

14 Unlinkable serial transactions: protocols and applications

 Stuart G. Stubblebine, Paul F. Syverson, David M. Goldschlag

November 1999 **ACM Transactions on Information and System Security (TISSEC)**, Volume 2 Issue 4

Publisher: ACM Press

Full text available:  [pdf\(184.87 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

We present a protocol for unlinkable serial transactions suitable for a variety of network-

based subscription services. It is the first protocol to use cryptographic blinding to enable subscription services. The protocol prevents the service from tracking the behavior of its customers, while protecting the service vendor from abuse due to simultaneous or cloned use by a single subscriber. Our basic protocol structure and recovery protocol are robust against failure in protocol termination. ...


Keywords: anonymity, blinding, cryptographic protocols, unlinkable serial transactions

15 Computing curricula 2001

 September 2001 **Journal on Educational Resources in Computing (JERIC)**

Publisher: ACM Press

Full text available:  pdf(613.63 KB)

 html(2.78 KB)


Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

16 Separating key management from file system security

 David Mazières, Michael Kaminsky, M. Frans Kaashoek, Emmett Witchel

December 1999 **ACM SIGOPS Operating Systems Review , Proceedings of the seventeenth ACM symposium on Operating systems principles SOSP '99**, Volume 33 Issue 5


Publisher: ACM Press

Full text available:  pdf(1.77 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)


No secure network file system has ever grown to span the Internet. Existing systems all lack adequate key management for security at a global scale. Given the diversity of the Internet, any particular mechanism a file system employs to manage keys will fail to support many types of use. We propose separating key management from file system security, letting the world share a single global file system no matter how individuals manage keys. We present SFS, a secure file system that avoids internal ...

17 Session 2: secure Web services: Designing a distributed access control processor for network services on the Web

 Reiner Kraft

November 2002 **Proceedings of the 2002 ACM workshop on XML security**

Publisher: ACM Press

Full text available:  pdf(301.14 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

The service oriented architecture (SOA) is gaining more momentum with the advent of network services on the Web. A programmable and machine accessible Web is the vision of many, and might represent a step towards the semantic Web. However, security is a crucial requirement for the serious usage and adoption of the Web services technology. This paper enumerates design goals for an access control model for Web services. It then introduces an abstract general model for Web services components, along ...


Keywords: Web services, XML, access control, security

18 Virtual machine monitors: Terra: a virtual machine-based platform for trusted computing

 Tal Garfinkel, Ben Pfaff, Jim Chow, Mendel Rosenblum, Dan Boneh

October 2003 **Proceedings of the nineteenth ACM symposium on Operating systems principles**

Publisher: ACM Press

Full text available:  [pdf\(140.31 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

We present a flexible architecture for trusted computing, called Terra, that allows applications with a wide range of security requirements to run simultaneously on commodity hardware. Applications on Terra enjoy the semantics of running on a separate, dedicated, tamper-resistant hardware platform, while retaining the ability to run side-by-side with normal applications on a general-purpose computing platform. Terra achieves this synthesis by use of a *trusted virtual machine monitor* (TVMM) ...

Keywords: VMM, attestation, authentication, trusted computing, virtual machine, virtual machine monitor

19 [Fast and secure distributed read-only file system](#)

 Kevin Fu, M. Frans Kaashoek, David Mazières
February 2002 **ACM Transactions on Computer Systems (TOCS)**, Volume 20 Issue 1

Publisher: ACM Press

Full text available:  [pdf\(317.54 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Internet users increasingly rely on publicly available data for everything from software installation to investment decisions. Unfortunately, the vast majority of public content on the Internet comes with no integrity or authenticity guarantees. This paper presents the self-certifying read-only file system, a content distribution system providing secure, scalable access to public, read-only data. The read-only file system makes the security of published content independent from that of the distri ...

Keywords: File systems, read-only, security

20 [Special feature: Report on a working session on security in wireless ad hoc networks](#)

 Levente Buttyán, Jean-Pierre Hubaux
January 2003 **ACM SIGMOBILE Mobile Computing and Communications Review**, Volume 7 Issue 1

Publisher: ACM Press

Full text available:  [pdf\(2.50 MB\)](#) Additional Information: [full citation](#), [references](#), [citations](#)

Results 1 - 20 of 149

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)



Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((switch user, user identity, certificate, digital signature, private key<in>metadata) <..."

e-mail

Your search matched 4001 of 1424023 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)[New Search](#)

» Other Resources

(Available For Purchase)

Top Book Results

[Contemporary Cryptology](#)by Simmons, G. J.;
Paperback, Edition: 1[Managing IP Networks](#)by Aidarous, S.; Plevyak, T.;
Levine, P.; Martins, J.; Stiller, B.;
Sherif, M. H.; Fumagalli, A.; Aracil,
J.; Valcarenghi, L.;
Hardcover, Edition: 1[View All 2 Result\(s\)](#)

» Key

IEEE JNL IEEE Journal or
Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference
ProceedingIEE CNF IEE Conference
Proceeding

IEEE STD IEEE Standard

Modify Search

((switch user, user identity, certificate, digital signature, private key<in>metadata) <

Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract [view selected items](#)[Select All](#) [Deselect All](#)

View: 1-25 | 26-5

- ☐ 1. **Secure multicast communication: end user identification and accounting**
Sultana, N.; Atwood, J.W.;
[Electrical and Computer Engineering, 2005. Canadian Conference on](#)
1-4 May 2005 Page(s):1691 - 1694
Digital Object Identifier 10.1109/CCECE.2005.1557308
[AbstractPlus](#) | Full Text: [PDF\(156 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 2. **Single sign-on in In-VIGO: role-based access via delegation mechanisms lived user identities**
Sumalatha Adabala; Matsunaga, A.; Tsugawa, M.; Figueiredo, R.; Fortes, J.A.I.
[Parallel and Distributed Processing Symposium, 2004. Proceedings. 18th Inter](#)
26-30 April 2004 Page(s):22
Digital Object Identifier 10.1109/IPDPS.2004.1302930
[AbstractPlus](#) | Full Text: [PDF\(1408 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 3. **GridAdmin: decentralising grid administration using trust management**
Quillinan, T.B.; Clayton, B.C.; Foley, S.N.;
[Parallel and Distributed Computing, 2004. Third International Symposium on/A](#)
[and Tools for Parallel Computing on Heterogeneous Networks, 2004. Third Int](#)
[Workshop on](#)
5-7 July 2004 Page(s):184 - 192
Digital Object Identifier 10.1109/ISPDC.2004.28
[AbstractPlus](#) | Full Text: [PDF\(176 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 4. **A novel privacy preserving authentication and access control scheme for computing environments**
Ren, K.; Wenjing Lou; Kwangjo Kim; Deng, R.;
[Vehicular Technology, IEEE Transactions on](#)
Volume 55, Issue 4, July 2006 Page(s):1373 - 1384
Digital Object Identifier 10.1109/TVT.2006.877704
[AbstractPlus](#) | Full Text: [PDF\(480 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 5. **Energy-efficient and intrusion-resilient authentication for ubiquitous access floor information**

Long, M.; Wu, C.-H.;
Industrial Informatics, IEEE Transactions on
Volume 2, Issue 1, Feb. 2006 Page(s):40 - 47
Digital Object Identifier 10.1109/TII.2005.864144
AbstractPlus | Full Text: PDF(384 KB) IEEE JNL
Rights and Permissions

- ☐ 6. **Extensible authentication protocol (EAP) and IEEE 802.1x: tutorial and experience**
Jyh-Cheng Chen; Yu-Ping Wang;
Communications Magazine, IEEE
Volume 43, Issue 12, Dec. 2005 Page(s):supl.26 - supl.32
Digital Object Identifier 10.1109/MCOM.2005.1561920
AbstractPlus | Full Text: PDF(119 KB) IEEE JNL
Rights and Permissions

- ☐ 7. **Wireless network security and interworking**
Shin, M.; Ma, J.; Mishra, A.; Arbaugh, W.A.;
Proceedings of the IEEE
Volume 94, Issue 2, Feb. 2006 Page(s):455 - 466
Digital Object Identifier 10.1109/JPROC.2005.862322
AbstractPlus | Full Text: PDF(600 KB) IEEE JNL
Rights and Permissions

- ☐ 8. **Efficient authentication and key distribution in wireless IP networks**
Salgarelli, L.; Buddhikot, M.; Garay, J.; Patel, S.; Miller, S.;
Wireless Communications, IEEE [see also IEEE Personal Communications]
Volume 10, Issue 6, Dec. 2003 Page(s):52 - 61
Digital Object Identifier 10.1109/MWC.2003.1265853
AbstractPlus | References | Full Text: PDF(1005 KB) IEEE JNL
Rights and Permissions

- ☐ 9. **Analysis of host authentication mechanism in current POD copy protection**
Hai-Bo Tian; Yang Zhan; Yu-Min Wang;
Consumer Electronics, IEEE Transactions on
Volume 51, Issue 3, Aug. 2005 Page(s):922 - 924
Digital Object Identifier 10.1109/TCE.2005.1510504
AbstractPlus | Full Text: PDF(99 KB) IEEE JNL
Rights and Permissions

- ☐ 10. **A survey of information authentication**
Simmons, G.J.;
Proceedings of the IEEE
Volume 76, Issue 5, May 1988 Page(s):603 - 620
Digital Object Identifier 10.1109/5.4445
AbstractPlus | Full Text: PDF(1812 KB) IEEE JNL
Rights and Permissions

- ☐ 11. **Authentication for distributed systems**
Woo, T.Y.C.; Lam, S.S.;
Computer
Volume 25, Issue 1, Jan. 1992 Page(s):39 - 52
Digital Object Identifier 10.1109/2.108052
AbstractPlus | Full Text: PDF(1256 KB) IEEE JNL
Rights and Permissions

- ☐ 12. **Kerberos: an authentication service for computer networks**
Neuman, B.C.; Ts'o, T.;
Communications Magazine, IEEE

Volume 32, Issue 9, Sept. 1994 Page(s):33 - 38
Digital Object Identifier 10.1109/35.312841
[AbstractPlus](#) | Full Text: [PDF\(1048 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **13. Authentication of mobile users**
Molva, R.; Samfat, D.; Tsudik, G.;
[Network, IEEE](#)
Volume 8, Issue 2, March-April 1994 Page(s):26 - 34
Digital Object Identifier 10.1109/65.272938
[AbstractPlus](#) | Full Text: [PDF\(2216 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **14. The KryptoKnight family of light-weight protocols for authentication and**
Bird, R.; Gopal, I.; Herzberg, A.; Janson, P.; Kutten, S.; Molva, R.; Yung, M.;
[Networking, IEEE/ACM Transactions on](#)
Volume 3, Issue 1, Feb. 1995 Page(s):31 - 41
Digital Object Identifier 10.1109/90.365435
[AbstractPlus](#) | Full Text: [PDF\(1116 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **15. A robust image authentication method distinguishing JPEG compressor manipulation**
Ching-Yung Lin; Shih-Fu Chang;
[Circuits and Systems for Video Technology, IEEE Transactions on](#)
Volume 11, Issue 2, Feb 2001 Page(s):153 - 168
Digital Object Identifier 10.1109/76.905982
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(372 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **16. Design of an efficient authentication method for modern image and video**
Skraparis, D.;
[Consumer Electronics, IEEE Transactions on](#)
Volume 49, Issue 2, May 2003 Page(s):417 - 426
Digital Object Identifier 10.1109/TCE.2003.1209535
[AbstractPlus](#) | Full Text: [PDF\(794 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **17. An XML-based single sign-on scheme supporting mobile and home network environments**
Jongil Jeong; Dongkyoo Shin; Dongil Shin;
[Consumer Electronics, IEEE Transactions on](#)
Volume 50, Issue 4, Nov. 2004 Page(s):1081 - 1086
Digital Object Identifier 10.1109/TCE.2004.1362502
[AbstractPlus](#) | Full Text: [PDF\(547 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **18. Extension of authentication protocol for GSM**
Lee, C.-C.; Hwang, M.-S.; Yang, W.-P.;
[Communications, IEEE Proceedings-](#)
Volume 150, Issue 2, April 2003 Page(s):91 - 95
Digital Object Identifier 10.1049/ip-com:20030290
[AbstractPlus](#) | Full Text: [PDF\(609 KB\)](#) IEEE JNL

- ☐ **19. UMTS security**
Boman, K.; Horn, G.; Howard, P.; Niemi, V.;
[Electronics & Communication Engineering Journal](#)
Volume 14, Issue 5, Oct. 2002 Page(s):191 - 204

[AbstractPlus](#) | Full Text: [PDF\(1370 KB\)](#) IEE JNL

- ☐ **20. Packet level access control scheme for internetwork security**
Iqbal, M.S.; Poon, F.S.F.;
[Communications, Speech and Vision, IEE Proceedings I](#)
Volume 139, Issue 2, April 1992 Page(s):165 - 175
[AbstractPlus](#) | Full Text: [PDF\(784 KB\)](#) IEE JNL
- ☐ **21. Security authentication of 3G-WLAN interworking**
Yao Zhao; Chuang Lin; Hao Yin;
[Advanced Information Networking and Applications, 2006. AINA 2006. 20th Int](#)
[Conference on](#)
Volume 2, 18-20 April 2006 Page(s):5 pp.
Digital Object Identifier 10.1109/AINA.2006.300
[AbstractPlus](#) | Full Text: [PDF\(304 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **22. A Solution for Wireless Privacy and Payments based on E-cash**
Karygiannis, A.; Kiayias, A.; Tsiounis, Y.;
[Security and Privacy for Emerging Areas in Communications Networks, 2005.](#)
[2005. First International Conference on](#)
05-09 Sept. 2005 Page(s):206 - 218
Digital Object Identifier 10.1109/SECURECOMM.2005.9
[AbstractPlus](#) | Full Text: [PDF\(512 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **23. Improving Cross-domain Authentication over Wireless Local Area Networ**
Hahnsang Kim; Shin, K.G.; Dabbous, W.;
[Security and Privacy for Emerging Areas in Communications Networks, 2005.](#)
[2005. First International Conference on](#)
05-09 Sept. 2005 Page(s):127 - 138
Digital Object Identifier 10.1109/SECURECOMM.2005.24
[AbstractPlus](#) | Full Text: [PDF\(360 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **24. Plugging a scalable authentication framework into Shibboleth**
Zhang, N.; Yao, L.; Chin, J.; Shi, Q.; Nenadic, A.; McNab, A.; Rector, A.; Goble
[Enabling Technologies: Infrastructure for Collaborative Enterprise, 2005. 14th](#)
[International Workshops on](#)
13-15 June 2005 Page(s):271 - 276
Digital Object Identifier 10.1109/WETICE.2005.48
[AbstractPlus](#) | Full Text: [PDF\(344 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **25. Efficient non-interactive deniable authentication protocols**
Haifeng Qian; Zhenfu Cao; Lichen Wang; Qingshui Xue;
[Computer and Information Technology, 2005. CIT 2005. The Fifth Internationa](#)
21-23 Sept. 2005 Page(s):673 - 679
Digital Object Identifier 10.1109/CIT.2005.109
[AbstractPlus](#) | Full Text: [PDF\(248 KB\)](#) IEEE CNF
[Rights and Permissions](#)

View: 1-25 | 26-5